

Technical data sheet

**Model TPS
for inward opening doors**



Index

Profile detail..... 2

Recommendations 3


 Suitable hinges..... 3

 Suitable closing panels 3

 Suitable seals..... 3

Door seal..... 4

Profile detail



Model TPS		
Description	Item number	Standard lengths*
TPS	10140-11	1100 mm
TPS	10140-22	2200 mm
TPS	10140-27	2750 mm
TPS	10140-33	3300 mm
TPS	10140-55	5500 mm

*Special lengths on request.

Suitable for solid and dry construction

The sub-frame profiles are supplied either mitre-cut to size, or loose for cutting and assembly on-site. They are assembled using locking mitre corner inserts, temporary corner braces and bottom spreader bar. Then the frame is inserted to one side of the opening, attached using moveable brackets. The snap-in mesh ensures no plaster cracks between wall and frame. The timber frame and door is hung from the sub-frame, creating a shadow gap. Suits standard or floor-to-ceiling doors

Recommendations


On the basis of detailed tests and long-term experiences our technical office has prepared a recommendation-list regarding the selection of hinges, closing panels and seals. These lists are practical guidelines and non-exhaustive.

RECOMMENDATION Suitable hinges	
Producer	Website
Basys	www.basys.biz
Krona Koblenz	www.kronakoblenz.com
Simonswerk	www.simonswerk.com

RECOMMENDATION Suitable striking plates	
Producer	Website
AGB	www.agb.it
Bonaiti Serrature	www.bonaiti.it
Dormakaba	www.dormakaba.com
KFV	www.kfv.de

RECOMMENDATION Suitable seals/gaskets	
Producer	Website
Helmut Goll GmbH & Co.	www.helmutgoll.com
Deventer Profile GmbH	www.deventer-profile.com
PRIMO Profile GmbH	www.primo.com
SchlegelGiesse – Giesse S.p.A.	www.schlegelgiesse.com
AGS seals black/white 5,50m/6,60m	Art. Nr. 50096/50097

Seals



We guarantee for a high quality of our products. Our processing guidelines are based on tests and practical experiences; they are only indication without assurance of properties, we have no influence on condition of construction sites and the realizations of the works

Country specific regulations, which consist on regional standards, building regulations, processing and industrial guidelines, can guide to specific processing recommendations.