


Technical data sheet  
**Model TUT45**  
 for outward opening doors



**Index**

Profile detail.....2

Recommendations.....3

Recommended hinges.....3

Recommended closing panels.....3


Recommended electric-magnetic hold open door closers.....4

Recommended seals.....4

Timber insert .....5

Door leaf.....5

## Profile detail



Model TUT45		
<u>Suitable for solid and dry construction</u>		
<i>Description</i>	<i>Item number</i>	<i>Standard lengths*</i>
TUT45	10345-11	1100 mm
TUT45	10345-22	2200 mm
TUT45	10345-27	2750 mm
TUT45	10345-33	3300 mm
TUT45	10345-55	5500 mm

\*Special lengths on request.

## Recommendations

On the basis of detailed tests and long-term experiences our technical office has prepared a recommendation list regarding the selection of hinges, closing panels and seals. This lists are practical guidelines and non exhaustive.



Recommended hinges	
<i>Description</i>	<i>Weight</i>
Simonswerk Tectus TE 541 3D FVZ	100 kg
Krona Koblenz Kubica 6300	80 kg
Anselmi 511	40/60 kg
Anselmi 513	40/60 kg
Basys Pivota DX 80 3-D	80 kg

Recommended closing panels	
<i>Name</i>	<i>Recommended striking plates</i>
Bonaiti Serrature SpA <a href="http://www.bonaiti.it">www.bonaiti.it</a>	Bonaiti G992 Bonaiti GI98 Bonaiti GR95 Bonaiti GIS8 Bonaiti GR97
Kaba GmbH <a href="http://www.kaba.de">www.kaba.de</a>	Kaba Cludo SB*/MAG/210.20.2,0*/30 Kaba Cludo SB12/MAG/VAR/DS Kaba Cludo SB*MAG/120.20.2,0/*
Alban Giacomo SpA <a href="http://www.agb.it">www.agb.it</a>	AGB B01402.05.XX AGB B02402.28.XX AGB B01402.11.XX AGB B02402.09.XX AGB B02402.05.XX
KFV Karl Fliether GmbH & Co. Kg <a href="http://www.kfv.de">www.kfv.de</a>	KFV 116-200-20HR/41 KFV 116-245-20HR/41 KFV 116-245-18HR/41 KFV 116-120-20HR/41
Basys Stabilo Striking plates <a href="http://www.basyshome.com">www.basyshome.com</a>	Basys V3 LS – KFV 116 L/R Basys B72-13L/R


<b>Recommended electric-magnetic hold open door closers</b>	
<i>Producer</i>	<i>Item description</i>
Athmer <a href="http://www.athmer.de">www.athmer.de</a>	Porti 5371
Dorma <a href="http://www.dorma.com">www.dorma.com</a>	Dorma ITS96 N20 K8 Dorma ITS96 EMF K8
Geze Boxer <a href="http://www.geze.com">www.geze.com</a>	Geze Boxer Gr. 2-4 with a sliding rail of 12mm

<b>Recommended seals/gaskets</b>	
<i>Producer</i>	<i>Item number</i>
Helmut Goll GmbH	A1020
Deventer Profile GmbH	S 6603 b
Deventer Profile GmbH	SP 7612
Primo Profile GmbH	ACF 5602 H
Schlegel	QL 3104
Schlegel	QL 3096

## Timber insert



## Door leaf



We guarantee for a high quality of our products. Our processing guidelines are based on tests and practical experiences; they are only indication without assurance of properties, we have no influence on condition of construction sites and the realizations of the works

Country specific regulations, which consist on regional standards, building regulations, processing and industrial guidelines, can guide to specific processing recommendations.