


Technical data sheet


Model TCG for all-glass doors



Index

Profile detail.....	2
Recommendations.....	3
Suitable hinges.....	3
Suitable closing plates.....	3
Suitable seals.....	3

Profile detail



Model TCG

Suitable solid and dry construction

The frame profiles are supplied mitre-cut to suit door size, and machined to suit concealed hinges, lock strikes and other hardware. In combination with the snap-in corner connectors and the mounting brackets, this enables quick assembly and professional installation. The snap-in mesh ensures no plaster cracks between wall and frame. Suits standard or floor-to-ceiling doors. Suits standard or floor-to-ceiling all-glass doors of 8 and 10 mm.

Recommendations

On the basis of detailed tests and long-term experiences our technical office has prepared a recommendation list regarding the selection of hinges, closing panels and seals. This lists are practical guidelines and non exhaustive.

Suitable hinges	
Description	Weight
Simonswerk Tectus TEG 3102D www.simonswerk.com	60 kg

Suitable closing panels	
Name	Description striking plate
Simonswerk www.simonswerk.com	KC 50

Suitable seals/gaskets	
Producer	Item number
Helmut Goll GmbH	A1022
Deventer Profile GmbH	DS 6577a
Deventer Profile GmbH	S 6577a
Deventer Profile GmbH	S 7381
Deventer Profile GmbH	SP 7677
Primo Profile GmbH	AC-5990
Schlegel GmbH	QL 3113

We guarantee for a high quality of our products. Our processing guidelines are based on tests and practical experiences; they are only indication without assurance of properties, we have no influence on condition of construction sites and the realizations of the works

Country specific regulations, which consist on regional standards, building regulations, processing and industrial guidelines, can guide to specific processing recommendations.