


Technical data sheet

**Model TFN  
for inward/outward opening doors**



**Index**

Profile detail..... 2

Recommendations..... 3


    Suitable hinges..... 3

    Suitable closing panels..... 3

    Suitable seals..... 3

    Suitable double-sided tape..... 3

## Profile detail



### Model TFN

Suitable for solid and dry construction

<i>Item number</i>	<i>Description</i>	<i>Standard lengths*</i>
10115-11	TFN	1100 mm
10115-22	TFN	2200 mm
10115-27	TFN	2750 mm
10115-33	TFN	3300 mm
10115-55	TFN	5500 mm

\*Special lengths on request.

Suitable for solid and dry construction

This profile system is fitted to the frame linings prior to installing a finished timber door frame, to create the perfect shadow gap outline, and eliminate the need for architraves. The snap-in mesh ensures no plaster cracks between wall and frame. Suits standard or floor-to-ceiling doors.

## Recommendations

On the basis of detailed tests and long-term experiences our technical office has prepared a recommendation list regarding the selection of hinges, closing panels and seals. This lists are practical guidelines and non exhaustive.

<b>Suitable hinges</b>	
<i>Producer</i>	<i>Website</i>
Simonswerk GmbH	<a href="http://www.simonswerk.com">www.simonswerk.com</a>
Bartels-Systembeschläge GmbH	<a href="http://www.basyshome.com">www.basyshome.com</a>
Krone Koblenz SpA	<a href="http://www.k-group.com">www.k-group.com</a>

<b>Suitable closing panels</b>	
<i>Producer</i>	<i>Website</i>
Bonaiti Serrature SpA	<a href="http://www.bonaiti.it">www.bonaiti.it</a>
Kaba GmbH	<a href="http://www.kaba.de">www.kaba.de</a>
Alban Giacomo SpA	<a href="http://www.agb.it">www.agb.it</a>
KFV Karl Fliether GmbH & Co. Kg	<a href="http://www.kfv.de">www.kfv.de</a>

<b>Suitable seals</b>	
<i>Producer</i>	<i>Website</i>
Helmut Goll GmbH	<a href="http://www.helmutgoll.com">www.helmutgoll.com</a>
Deventer Profile GmbH	<a href="http://www.deventer-profile.com">www.deventer-profile.com</a>
Primo Profile GmbH	<a href="http://www.primo.com">www.primo.com</a>
Schlegel GmbH	<a href="http://www.helmutgoll.com">www.helmutgoll.com</a>

<b>Suitable double-sided tape</b>	
<i>Producer</i>	<i>Description</i>
Astorplast Klebetechnik SE	Astorpol

We guarantee for a high quality of our products. Our processing guidelines are based on tests and practical experiences; they are only indication without assurance of properties, we have no influence on condition of construction sites and the realizations of the works

Country specific regulations, which consist on regional standards, building regulations, processing and industrial guidelines, can guide to specific processing recommendations.