

ORDER FORM TST40

Order no.

Date

Customer

Delivery address

Clerk

Delivery date

Milling for hinge

☐ Basys PIVOTA DX 42 3-D

☐ Simonswerk TECTUS TE 240 3D

☐ Basys PIVOTA DX 43 3-D

☐ Ceam 1129 / 1329

☐ Krona Koblenz KUBICA K2460

☐ Different

Milling for striking plate

☐ AGB MINIMAL B01402.05.XX

☐ Dormakaba SB12/MAG/VAR/DS

☐ AGB ALUTOP XT B02402.09.XX

☐ KfV FSS 116-200-20HR

☐ Bonaiti G992

☐ KfV FSS 116-245-18HR

☐ Dormakaba SB/MAG/210.20.2,0

☐ Different

Milling for integrated door closer


☐ Athmer PORTI 5371


Milling for wall flush skirting board

☐ Yes


☐ No

Pos.	Item no.	Quantity	Rebate dim. A	Rebate dim. B	Hinge dim. C (1)	Hinge dim. D (2)	Hinge dim. E (3)	Hinge dim. F (4)	Height strik. pl. G	Offset strik. pl. H	Meter- level M	Opening direction L/R/O/P
1												
2												
3												
4												
5												
6												








Opening direction **L**



R Opening direction



Opening direction **O**



P Opening direction

