

ORDER FORM | BESTELLFORMULAR | MODULO D'ORDINE | BON DE COMMANDE

TST50

Order no. Best.-Nr. No. d'ordine No. de commande	Date Datum Data Date
---	-----------------------------

Customer Kunde Cliente Client	Delivery address Lieferadresse Indirizzo di consegna Adresse de livraison
--------------------------------------	--

Milling hinge Ausfräsung Türbänder Fresatura cerniera Usinage paumelle		
☐ AGB Eclipse 3.0 / 3.1 / 3.2	☐ Basys Pivota DX38	☐ Simonswerk TE240
☐ Anselmi AN140/160/1803D	☐ Basys Pivota DX60/DX100	☐ Simonswerk TE340
☐ Anselmi AN150 3D	☐ Ceam 1129 / 1329	☐ _____

Milling skirting plate Ausfräsung Schließblech Fresatura scontro Usinage gâche	
☐ AGB BO1402.05.XX	☐ KfV FSS 116-200-20HR
☐ AGB BO2402.09.XX Alutop	☐ Kaba CludoSB MAG VR
☐ KfV FSS 116-120-18	☐ _____

Milling integrated door closer Ausfräsung Obertürschließer Fresatura chiudiporta Usinage ferme-portes		
☐ Athmer PORTI 5371	☐ Dorma ITS96 EN 2-4- TST50	☐ _____


Door seal Dichtung Guarnizione Joint d'étanchéité	
☐ White Weiß Bianco Blanc	☐ Black Schwarz Nero Noir


Milling for wall flush skirting board Ausfräsung für wandbündige Sockelleiste Predisposto per battiscopa a filo muro Usinage pour plinthe affleurante	
☐ No Nein No Non	☐ Yes Ja Sì Oui

Color of the profile Farbe des Profiles Colore del profilo Couleur du profil		
☐ Raw Roh Grezzo Brut	☐ RAL9005	☐ RAL9016



* If required, please include the floor recess in the frame rebate dimension A.
 * Falls benötigt, bitte Bodeneinstand in das Zargenfalzmaß A einrechnen.
 * Se necessario, includere la rientranza del pavimento nella misura del telaio A.
 * Si nécessaire, veuillez inclure le retrait du sol dans la dimension de la feuillure du châssis A.

Pos.	Art.-Nr.	Quantity	A*	B	C	D	E	F	G	H	M	L/R O/P
1												
2												
3												
4												
5												
6												






Opening direction | Öffnungsrichtung | Senso di Apertura | Sens d'ouverture



B



Opening direction | Öffnungsrichtung | Senso di Apertura | Sens d'ouverture

